



Plymouth County Outreach Project

PAMELA KELLEY

KELLEY RESEARCH ASSOCIATES


STONEHILL COLLEGE

SEAN VARANO

KELLEY RESEARCH ASSOCIATES

ROGER WILLIAMS UNIVERSITY


APRIL 26, 2018



Preliminary Data:
South District
1/1/18 – 4/24/18

Type of Incident: North v. South

1/1/18 – 4/24/18




Kelley Research Associates 4/18

There were a total of **499 overdose incidents** reported in the county between 1/1/18 and 4/24/18 as recorded in the PCO database. **Thirty-six percent (179)** of these occurred in the “Southern” district and **64% (320)** occurred in the “North”.

Type of Incident: South District 1/1/18 – 4/24/18



Kelley Research Associates 4/18




There were a total of **179 overdose incidents** recorded in the “South” district between 1/1/18 and 4/24/18: **16 (9%) were fatal**; **150 (84%) were non-fatal**; and 13 (7%) were categorized as “at-risk” individuals.

Fatal Incident Monthly Trend: South



There has been on average **4 fatal ODs per month** in the “South” district so far 2018. This is slightly lower than the 2017 average for this time frame which was 4.5. The totals per month are still in contrast to each other, with March having the highest number of fatalities so far in 2018 (7) vs March having the lowest number of fatalities in 2017 (1) for the whole year and then April having the lowest number of fatalities so far in 2018 (2) and one of the highest totals in 2017 (6).


Non-Fatal Incident Monthly Trend: South



Kelley Research Associates 4/18

There has been on average **37.5 non-fatal ODs per month** in the “South” district so far 2018. This is an **7% decrease** from the average **40.2 per month** during this same time frame in 2017. However, April data is still being entered so the number of incidents may increase.


Incident vs. Resident Town: South (1/1/18 – 4/24/18)



Kelley Research Associates 4/18

In **133 incidents (74%)**, the individual with Substance Use Disorder resided in same town that the incident occurred. However, in **46 (26%)** of the incidents the person was from a different town than where the incident occurred.

Naloxone “Saves”: South (1/1/18 – 4/24/18)



Kelley Research Associates 4/18

Naloxone was administered in **107 (60%)** of the reported incidents. Ninety-two percent (98) of these events were non-fatal, while 8% (9) of these overdoses resulted in a fatality.