Plymouth County Outreach Project

PAMELA KELLEY

KELLEY RESEARCH ASSOCIATES

STONEHILL COLLEGE

SEAN VARANO


KELLEY RESEARCH ASSOCIATES

ROGER WILLIAMS UNIVERSITY

JANUARY 4, 2020


County-wide Preliminary Data: 1/1/19 – 12/31/19

Type of Incident: 1/1/19 – 12/31/19




There were a total of 1,443 incidents (OD and At-Risk) recorded in Plymouth County between 1/1/19 and 12/31/19: 120 (8%) were fatal; 1,150 (80%) were non-fatal; and 173 (12%) were categorized as "at-risk" individuals.

Fatal Incident Monthly Trend




There was on average 10 fatal ODs per month, or 120 total, in the County between 1/1/19 and 12/31/19. This is a 1% decrease over the 2018 monthly average of 10.1, or 121 total, for the same time frame.

Non-Fatal Incident Monthly Trend




There was on average 95.8 non-fatal ODs per month, or 1,150 total, in the County between 1/1/19 and 12/31/19. This is a 14% decrease over the 2018 monthly average of 111.5, or 1,338 total, for the same time frame.

At-Risk Monthly Trend




There was on average <u>14.4 At-Risk</u> entries per month, or 173 total, in the County between 1/1/19 and 12/31/19. This is a <u>9% increase</u> over the 2018 monthly average of 13.2, or 159 total, for the same time frame.

Incident vs. Resident Town: 1/1/19 – 12/31/19



Analyzing just the 1,270 overdose incidents, 943 (74%) of the OD incidents between 1/1/19 and 12/31/19 occurred in same town that the person lived in. However, in 327 (26%) of the incidents the person was from a different town than where the incident occurred.


Naloxone "Saves": 1/1/19 - 12/31/19



Again, analyzing just the 1,270 overdose incidents, Naloxone was administered in 807 (64%) of the reported OD incidents. Ninety-four percent (761) of these events were non-fatal, while 6% (46) of these overdoses resulted in a fatality.


Follow-Up Visit Contacts 1/1/19 – 12/31/19

- <u>850</u> attempted home visits
- 61% (520) were successful in having contact with either the individual who overdosed, a family/friend, or both.



<u>Thirty-seven percent (195)</u> of the successful follow-up visits (520) resulted in contact with the individual that had overdosed, <u>48% (248)</u> resulted in contact with Family/Friends, and <u>15% (72)</u> resulted in contact with both the individual and family/friends.

Successful SUD Contact Outcomes 1/1/19 – 12/31/19




Of the 272 successful contacts with the person the overdosed (SUD Only and Both): 54% (147) resulted in the individual accepting treatment from the outreach team; 18% (49) declined the treatment options; 20% (53) of individuals were already seeking treatment; and 9% (23) of the follow-ups did not have a response to these measures recorded in the system.

Tier 2 Follow-Up Analysis


Tier 2: Follow-Up Visit Contacts 4/1/19 – 12/31/19

- 341 attempted outreach visits (inperson, phone, electronic, other)
- 33% (113) were successful in having contact with either the individual who overdosed, a family/friend, or both.



<u>Sixty-two percent (70)</u> of the successful follow-up visits (113) resulted in contact with the Tier 2 client, <u>35% (40)</u> resulted in contact with Family/Friends, and <u>3% (3)</u> resulted in contact with both the Tier 2 client and family/friends.

Tier 2: Successful SUD Contact Outcomes 4/1/19 – 12/31/19



Of the 73 successful contacts with the Tier 2 client (SUD Only and Both): 15% (11) resulted in the individual accepting treatment from the outreach team; 5% (4) declined the treatment options; 70% (51) of individuals were already seeking treatment; and 10% (7) of the follow-ups did not have a response to these measures recorded in the system.