

Plymouth County Outreach Project

PAMELA KELLEY

KELLEY RESEARCH ASSOCIATES

STONEHILL COLLEGE

SEAN VARANO

KELLEY RESEARCH ASSOCIATES

ROGER WILLIAMS UNIVERSITY




County-Wide Preliminary Data:

1/1/21 - 12/31/21

Type of Incident: 1/1/21 – 12/31/21






There were a total of 1,489 incidents (OD and At-Risk) recorded in Plymouth County between 1/1/21 and 12/31/21: 123 (8%) were fatal; 947 (64%) were non-fatal; and 419 (28%) were categorized as "at-risk" individuals.

Fatal Incident Monthly Trend






Kelley Research Associates

There was on average 10.3 fatal ODs per month, or 123 total, in the County between 1/1/21 and 12/31/21. This is a 22% decrease over the 2020 monthly average of 13.2 or 158 total, for the same time frame.

Non-Fatal Incident Monthly Trend






There was on average <u>78.9 non-fatal ODs per month</u>, or <u>947 total</u>, in the County between 1/1/21 and 12/31/21. This is an <u>11% decrease</u> over the 2020 monthly average of 88.6, or 1,063 total, for the same time frame.

At-Risk Monthly Trend



Kelley Research Associates






There was on average <u>34.9 At-Risk</u> entries per month, or 419 total, in the County between 1/1/21 and 12/31/21. This is a <u>111% increase</u> over the 2020 monthly average of 16.6, or 199 total, for the same time frame.

Incident vs. Resident Town: 1/1/21 - 12/31/21






lley Research Associates

Analyzing just the 1,070 overdose incidents, **753 (70%)** of the OD incidents between 1/1/21 and 12/31/21 occurred in same town that the person lived in. However, in **317 (30%)** of the incidents the person was from a different town than where the incident occurred.

Naloxone "Saves": 1/1/21 - 12/31/21



Twenty-six percent (185) of these incidents involved Naloxone being administered by a 3rd party family/friend prior to first responders arriving.



Again, analyzing just the 1,070 overdose incidents, Naloxone was administered in 718 (67%) of the reported OD incidents. Ninety-four percent (676) of these events were non-fatal, while 6% (42) of these overdoses resulted in a fatality.


Follow-Up Visit Contacts:

1/1/21 - 12/31/21

CIMS

Kelley Research Associates


- 1,3,44 attempted Follow-up Contacts
- 60% (809) were successful in having contact with either the individual who overdosed, a family/friend, or both.



<u>Fifty-one percent (411)</u> of the successful follow-up visits (809) resulted in contact with the individual that had overdosed or was referred, <u>41% (331)</u> resulted in contact with Family/Friends, and <u>8% (67)</u> resulted in contact with both the individual and family/friends.

Successful Contact Outcomes 1/1/21 - 12/31/21





Kelley Research Associates


Of the 478 successful contacts with the person that overdosed or was referred (Individual Only and Both): 74% (354) resulted in the individual accepting services from the outreach team; 14% (66) declined the offer of services; and 12% (58) of individuals were already seeking services.



Tier 2 Follow-Up Analysis

1/1/21 - 12/31/21

- 1,203 attempted outreach visits (inperson, phone, electronic, other)
- 54% (648) were successful in having contact with either the individual who overdosed, a family/friend, or both.




<u>Seventy-nine percent (511)</u> of the successful follow-up visits (648) resulted in contact with the Tier 2 client, <u>18% (118)</u> resulted in contact with Family/Friends, and <u>3% (19)</u> resulted in contact with both the Tier 2 client and family/friends.

Kelley Research Associates

Tier 2: Successful Contact Outcomes 1/1/21 - 12/31/21





Of the 530 successful contacts with the Tier 2 client (Individual Only and Both): <u>64% (340)</u> resulted in the individual accepting services from the outreach team; <u>3% (14)</u> declined the offer of services; and <u>33% (176)</u> of individuals were already seeking services.